Document Details:

Contact: *Minerals Planning Policy,*
Strategic Planning and Environmental Policy,
Directorate of Economy and Infrastructure
Worcestershire County Council,
County Hall,
Worcester,
WR5 2NP
Email: minerals@worcestershire.gov.uk
Tel: *01905 766374*

1.8. Based on this production guideline and the stock of permitted reserves of 3.42 million tonnes, **Worcestershire had a landbank of 4.14 years at 31st December 2021.**

1.9. This is well below the 7-year landbank required by national policy and indicates that there is currently a shortfall of permitted reserves in the county.

Crushed rock

1.10. The following bedrock mineral deposits are believed to be the only strata in the county that have been worked to produce crushed rock aggregates: the Precambrian "Malverns Complex" and "Warren House Formation", the Silurian "Woolhope Limestone Formation"[1], the Ordovician "Lickey Quartzite Formation"; and the Jurassic "Inferior Oolite Group".

	Sand and gravel	Crushed rock
Number of sites at 31st December 2021		
Landbank (Supply): Landbank at 31st December 2021 (based on annual production guideline)	**4.14 years** Ï	**0 years**

Contents

Worcestershire Local Aggregate Assessment: Data covering the period up to 31/12/2021 1

1. Executive Summary 1

Substitute, secondary and recycled aggregates 1

Sand and gravel 1

Crushed rock 2

LAA Dashboard 3

2. Introduction 2

Next steps 3

3. Substitute, secondary and recycled aggregates in Worcestershire 4

Substitute materials 4

Secondary aggregates 4

Recycled aggregates 5

Potential to increase contribution from secondary and recycled materials 6

4. [illegible]

Impact of the Coronavirus pandemic 8

10 years sales average 9

Next steps

2.4. The Local Aggregate Assessment will be updated annually in consultation with the West Midlands Aggregate Working Party (WM AWP) and other AWPs as required. It will be published by the Council on our website at www.worcestershire.gov.uk/laa, and will be taken into account in Monitoring Report (AMR) which will be published at www.worcestershire.gov.uk/amr. If you would like to be notified when new Local Aggregate Assessments and/or Authority Monitoring Report AMRs are published please contact PlanningDatabase@worcestershire.gov.uk providing your contact details[3].

[3] See http://www.worcestershire.gov.uk/info/20014/planning/1156/get_involved_in_planning

3. Substitute, secondary and recycled aggregates in Worcestershire

3.1. National policy states that local authorities should "take account of the contribution that substitute or secondary and recycled materials and waste would make to the supply of materials, before considering extraction of primary materials".[4]

Substitute materials

3.2. It may be possible to reduce the need for primary aggregates through the use of substitute materials in construction. However, the use of substitutes will vary depending on individual development proposals. Their use is likely to be more strongly influenced by sustainable design and construction policies in the City, Borough and District Councils' Local Plans rather than through minerals planning policies.

3.3. There is no data available to indicate the level of contribution made by substitute materials in Worcestershire, but if use of substitutes were to increase and lead to a reduction in demand for primary materials, this will be reflected in the level of aggregate sales recorded.

Secondary aggregates

3.4. Secondary aggregates is a term often used to describe mineral that is produced as a by-product of other mining or quarrying activities or as a by-product of an industrial process.

3.5. There was one industrial process in Worcestershire in 2021 which was known to produce material suitable for processing into secondary aggregates:

- An Energy from Waste Plant commenced operation in 2017 at Hartlebury, near Kidderminster. This plant produces approximately 40,000 tonnes per annum of Incinerator Bottom Ash which is capable of being describels, degatls,rauth4(ro)4(u)-6(g)4sh

Criteria to use the recovered IBAA in block manufacture has also commenced. In 2022 a planning application to increase throughput of this site to 100,000 tonnes per annum was received[6] and is yet to be determined.

Recycled aggregates

3.7. Recycled aggregates arise from several sources, notably construction and demolition waste (C&D waste) such as the demolition of buildings, asphalt planings from road resurfacing, recycled glass, recycled tyres, and railway

have the assurance that the industry is not needlessly extracting primary materials when secondary materials will do the job just as well.

Arisings of secondary materials will continue to rise and fall with economic conditions in the same way that demand for primary materials varies. Therefore, the two types of material will parallel each other and we expect the level of use of recycled and secondaries to remain broadly at the current level of 28 - 29% of total consumption. Given this any increase in primary mineral extraction activity will not be at the expense of secondary

orcestershire were 0.705 million
es in 2020, which were likely
and 0.648 million in 2019. This is
spite the possibility that the
ted sales, especially early in the

-2021 including combined data for
% **lower** than the 2021 sales

02 42.69(re)4(.)]TJETQq0008871[f W* nB4.32 841.9

Figure 1. Sand and gravel annual and average

5. Primary Aggregates: Crushed Rock Baseline

5.1. The bedrock geology in Worcestershire includes the following mineral deposits which are believed to be the only strata in the county that have been worked to produce crushed rock aggregates since 1947: [19]

- The Precambrian "Malverns Complex" and "Warren House Formation";
- The Silurian "Woolhope Limestone Formation"[20];
- The Ordovician "Lickey Quartzite Formation"; and
- The Jurassic "Inferior Oolite Group".

5.2. Rocks of the Malverns Complex and Warren House Formation include rocks which have previously been worked as a source of aggregate suitable for use in road construction and maintenance, as well as for building stone.[21] Woolhope Limestone is often only suitable for production of constructional fill, although there may be areas where the formation comprises relatively clean, good-quality limestones suitable for aggregate use.[22] Lickey Quartzite may be suitable for uses which require high resistance to abrasion,[23] whereas Inferior Oolite limestone is used for low-quality aggregate purposes such as constructional fill, as well as for building stone.[24, 25]

5.3. The qualities and properties of these deposits vary, although each type of deposit may be capable of supplying various markets (such as roadstone, railway ballast, concrete aggregate, or other construction aggregates). Due to the overlap in their potential uses, and to facilitate the flexibility of

---

[19] For further information about the nature, location and potential significance of the deposits see background document *Analysis of Mineral Resources in Worcestershire* at www.worcestershire.gov.uk/mineralsbackground

[20] Silurian "Aymestry Limestone Formation" deposits have also been worked in the past, but these are not considered to be a significant resource under the methodology set out in the background document *Analysis of Mineral Resources in Worcestershire* (available at www.worcestershire.gov.uk/mineralsbackground)

[21] British Geological Survey and Department of the Environment, Transport and the Regions (1999) *Mineral Resource Information for Development Plans. Herefordshire and Worcestershire: Resources and Constraints*.

[22] British Geological Survey and Department of the Environment, Transport and the Regions (1999) *Mineral Resource Information for Development Plans. Herefordshire and Worcestershire: Resources and Constraints*.

[23] British Geological Survey and Department of the Environment, Transport and the Regions (1999) *Mineral Resource Information for Development Plans. Herefordshire and Worcestershire: Resources and Constraints*.

[24] British Geological Survey and Office of the Deputy Prime Minister (2006) *Mineral Resource*

market supply from each deposit, these deposits will be considered

7. Primary Aggregates: Demand Indicators

Total consumption

7.1. The amount of primary aggregate consumed within Worcestershire each year would represent the demand for resources within the county.

7.2. Subject to the caveats regarding the reliability of the data outlined in Section 6 above, total consumption for the county can be calculated by combining data which is available for Worcestershire in the *Aggregate minerals survey for England and Wales* for 2009, 2014 and 2019 relating to the total amounts produced and then sold within Worcestershire, with the amounts imported into Worcestershire, as shown in Table 7 below.

Table 7. Total consumption of primary aggregates in Worcestershire

	Sales within Worcestershire (tonnes)	Combined imports of primary aggregates (tonnes)	Total consumption (tonnes)
2009	114,000	250,000	364,000
2014	51,000	688,000	

average could be an under-representation of the current and potential future market demand.

7.7.

7.13. This suggests that it would not

8% higher than the average number of completions seen over the last 10 years, but is 11% lower than the average number of completions seen over the last 3 years (2310 completions per year).

7.19. Figure 4 does not show a direct correlation between the number of housing completions and the level of either sand and gravel or crushed rock sales in Worcestershire in any given year. Nonetheless, it is useful to consider the likely level of aggregate required per house as an indication of the likely sufficiency of production from the county.

7.20. A typical new house uses 200 tonnes of aggregate, or up to 400 tonnes of aggregate when supporting infrastructure, such as access roads, is taken into account.[35] This does not distinguish between use of sand and gravel and crushed rock, and does not include any indication of the likely level of demand for material used in maintaining or refurbishing existing housing stock, but does enable calculations to be made of the likely scale of demand for aggregate for new housing development.

7.21. Based on average material usage per dwelling, new housing development may account for between 70.6% and 85.4% of the 10-year average amount of sand and gravel produced in Worcestershire, when supporting infrastructure is not included, or between 141.0% and 170.8% of the 10-year average amount of sand and gravel produced in Worcestershire when supporting infrastructure is also taken into account.[36]

7.22. However, despite being a net-exporter of sand and gravel, Worcestershire is a net importer of aggregate mineral34(n)4( )-2(t)-2(h)4(e)teh0 5951 0 595.32 841.92 reWvera

Working Party has long believed that the HS2 project, which will run through the West Midlands, will result in significant demand for aggregates from Mineral Planning Authority areas in the West Midlands. As aggregates tend not to very travel far from their source, this demand is likely to be met from the Mineral Planning Authority areas closest to the line's route in the first instance. However, the level and urgency of this demand is likely to put significant strain on existing supply options in these areas. Failing to make adequate provision to meet this increased demand could compromise the ability for both HS2 and other developments to be delivered.

7.31. Construction work on HS2 has begun in recent years, and evidence is beginning to appear confirming the AWP s views regarding aggregate supply and possibly shortages.

7.32. The West Midlands Aggregate Working Party has been seeking to work closely with HS2 to better understand the implications for minerals supply from the West Midlands. The latest figures supplied to the West Midlands AWP by HS2 indicate that between 2020 and 2
resources from within the West Midlands may be approximately 50% of current production levels. Therefore, in order to also continue supplying existing markets, production in the West Midlands region will require a 50% increase to meet the extra demand placed upon the region by HS2.

7.33. Hudson Contract, a payroll firm that manages the wages of more than 30,000 construction workers and supplies more than 2,500 construction companies across England and Wales, reported in April 2021 that its clients are reporting serious shortages in construction products, suggesting that this is likely to be due to materials instead supplying HS2, that the risks around availability of materials are the main threat to their growth prospects, and that the problem with the lack of building materials is most acute in the West Midlands.[41]

about depth is limited and the quality and depth can vary across a deposit, and that constraints which will be set out in criteria-based policies have not been applied within the analysis of resources. Further work has since been completed to screen out international and national designations.[44]

8.6.

8.11. However, planning permission for one of the sites ends on 31st December 2026. Due to the timescales involved in getting permission for a new minerals site, and implementing said permission, this is now considered a short timescale for replenishment of this productive capacity once the permission ends on 31st December 2026.

Table 9. Sites with permitted reserves as of December 2021

Site name	Company	Location	Planning permission end date	Limits imposed on productive capacity by planning permission
Chadwich Lane Quarry	Salop Sand and Gravel	Chadwich Lane, Wildmoor, Bromsgrove	31 December 2037	None
Cinetic Quarry (also known as Wildmoor Quarry)	Wildmoor Quarry Products Ltd	Sandy Lane, Wildmoor, Bromsgrove	None stipulated (therefore 2042)	None
Clifton	Tarmac	Clifton Arles Wood, Severn Stoke	31 December 2030 (stated on planning permission 15/000006/CM which was granted 12 July 2016, consolidating the existing quarry and new extensions into one permission)	None
Ryall's Court Quarry (extraction) / Ryall House Farm Quarry (processing)	Cemex UK Materials Ltd	Ryall's Court Quarry, Ryall Court Lane, Ryall, Upton-upon-Severn Ryall House Farm, Tewkesbury Road, Ryall, Upton-upon-Severn	31st December 2026 (stated on planning permission 15/000013/CM) Proposals for decommissioning	

Applications pending (sand and gravel)

8.19. Seven planning applications for new extraction sites were under consideration during 2021, with six of these pending determination as of 31st December 2021. These were:

- Application reference 19/000048/CM, to extract 1.5 million tonnes of sand and gravel from a new quarry at Bow Farm, Ripple. (This was approved

Worcestershire's crushed rock resources

8.23. There are two estimates of the quantity of crushed rock resources which exist in Worcestershire.

8.24. The "Sub-Regional Apportionment of Aggregates Provision in the West Midlands Region 2005 2020 Consultation paper 17-02-2010" document was prepared for the West Midlands Regional Assembly by Land Use Consultants in February 2010. This used the British Geological Survey (BGS) mineral resource dataset (1:50,000) as the starting point for the distribution of resources in the region in GIS, and then applied the following factors which were considered to sterilise the resource:

- The road network based on the Primary Road Network with a 5m buffer of the line features in GIS to approximate the footprint on the ground;
-

allocations for crushed rock in Worcestershire in the 1997 Minerals Local Plan.

8.33. A new Minerals Local Plan (2018-2036) was adopted in July 2022 which highlights that planning permissions would be required for at least 4.727 million tonnes of crushed rock over the life of the plan in order to meet the scale of provision indicated by the sub-regional apportionment.

8.34. The Minerals Local Plan contains policies to enable both new mineral development and extensions to existing sites. It does not allocate any areas of search for crushed rock, but it includes criteria-based policies to enable crushed rock development on windfall sites.

8.35. The Minerals Local Plan also commits to the development of a separate Mineral Site Allocations Development Plan Document. Five calls for sites have been undertaken in the development of the new Minerals Local Plan and Mineral Site Allocations Development Plan Document between 2014 and 2020, but no sites for crushed rock have been proposed by the minerals industry or landowners.

Pre-application discussions (crushed rock)

8.36. In 2021, no pre-application discussions have been held with regard to potential crushed rock sites. This is a strong indication that there is limited interest in developing crushed rock workings in Worcestershire in the immediate future.

9. Summary of Findings

9.1. Appendix 2 (Demand and supply indicators agreed by West Midlands Aggregate Working Party) shows the indicators which have been considered throughout this LAA, and the findings are summarised in relation to each indicator in Table 11 to Table 14 before conclusions are drawn(a)4(re)42m0 g0 G[ )]TJETQq0.0

Indicator number	Demand indicator	Summary	Indication in relation to 10-year average
	MHCLG live tables on housing supply), compared with housing targets	a Standard Methodology both indicate that the number of dwellings required per year in future is 10% higher than the average number of completions seen over the last 10 years, but is 10% lower than the average number of completions seen over the last 3 years. It is estimated that housebuilding may account for a large proportion of consumption of primar 154.22	

Indicator number	Demand indicator	Summary	Indication in relation to 10-year average

Indicator number	Demand indicator	Summary	Indication in relation to 10-year average
		current and potential future market demand.	
Demand indicator 6	Sub-regional apportionment figures	Sub-regional apportionment of 0.871 million tonnes was 60% higher than the 10-year average, but was not intended to apply beyond 2016.	Weak indicator for increase above 10 year average.

Table 12 Supply indicators for sand and gravel

Indicator number	Supply indicator	Summary	Indication in relation to 10-

Indicator number	Supply indicator	Summary	Indication in relation to 10-year average
		The Minerals Local Plan adopted in July 2022 contains policies to enable both new mineral development and extensions to existing sites. Whilst it commits to the allocation of Specific Sites and Preferred Areas through a separate Mineral Site Allocations DPD, it also allocates 100 areas of search for sand and gravel (70 for terrace and glacial sand and gravel resources, and 30 for solid sand resources), and contains policy criteria to allow for development on windfall sites outside of site allocations under specific circumstances.	production guideline.
Supply indicator 3	Progressive exhaustion of permitted reserves over Plan period and permitted lifespans of productive sites.	No sites ceased production in 2021, but planning permission for one of existing sites ends on 31st December 2026. This is now considered a short timescale for replenishment of this productive capacity. There are also a number of planning applications pending decision and a number of pre-application discussions have taken place in 2021 and so far	[redacted]

Indicator number	Supply indicator	Summary	Indication in relation to 10-year average
		in 2022 regarding potential future applications, indicating that there are options available for replenishment of reserves in the short term, subject to gaining planning permission. The Minerals Local Plan adopted in July 2022 contains policies to enable both new mineral development and extensions to existing sites, and allocates 100 areas of search for sand and gravel (70 for terrace and glacial sand and gravel resources, and 30 for solid sand resources). Sites have also been put forward for potential allocation in the forthcoming Mineral Site Allocations Development Plan Document. This	

Indicator number	Supply indicator	Summary	Indication in relation to 10-year average
		moving "as-dug" material from one site in	

Indicator number	Supply indicator	Summary	Indication in relation to 10-year average
		the short to medium term.	
Supply indicator 5	Local plan allocations	The County of Hereford and Worcester Minerals Local Plan (1997) which was extant in 2021 allocated a number of preferred areas for sand and gravel working in Worcestershire, but there was very low confidence that the limited remaining Preferred Areas were deliverable. A new Minerals Local Plan (2018-2036) was adopted in July 2022 and allocates 100 areas of search for sand and gravel, and commits to the development of a separate Mineral Site Allocations DPD to allocate specific sites and/or preferred areas. Five calls for sites have resulted in a number of potential sites being put forward, and these are under consideration in the development of the DPD.	Information supports ongoing supply of sand and gravel from Worcestershire and is a positive indication of ability to supply in the medium term, but does not indicate the appropriateness of any particular production guideline.
Supply indicator 6	Contribution from alternative aggregates	There is no data available to indicate the level of contribution made by substitute materials in Worcestershire.	No change indicated by this data.

Indicator number	Supply indicator	Summary	Indication in relation to 10-year average
		There is one industrial process in Worcestershire known to produce material suitable for processing into secondary aggregates, and a facility with planning permission to process this material. Incinerator Bottom Ash Aggregate from this facility is currently used under the Environment Agency Regulatory Position Statement RPS 247. The process of obtaining End of Waste Criteria to use the recovered IBAA in block manufacture has also commenced. Inert waste is managed at a number of facilities in Worcestershire, but it is not possible to assess the proportion which was subsequently sold or used as recycled aggregate. Secondary and recycled materials account for 28% of the total market nationally. There is no evidence to indicate whether Worcestershire is likely to produce any more or any less than the national average, but it is likely that arisings of recycled and secondary materials will rise and fall	

Indicator number	Supply indicator	Summary	Indication in relation to 10-year average
		with economic conditions, mirroring demand for primary materials. On this basis, this LAA assumes that the contribution of substitute, secondary [redacted] already accounted for prior to considering the sales figures for primary aggregates	

Conclusion: Sand and gravel

9.3. No demand indicators suggest that the production guideline should be lower than the 10-year average. Some indicators weakly suggest that an increase above the 10-year average may be necessary, and one indicator suggests that a significant increase above the 10-year average should be considered.

9.4. **It is therefore proposed to deviate from the 10-year sales average by +50%.**

9.5. This uplift i-0 1 212.y9BT/F1t akl871 0 595/2 T2(shuc reW235.01[u)4(p)4(l)3(i)3(f)-26 188.4

Crushed rock

9.8. Starting point: 10-year sales average for crushed rock of 0 tonnes, permitted reserves of 0 tonnes.

Table 13. Demand indicators for crushed rock

Indicator number	Demand indicator	Summary

Indicator number	Demand indicator	Summary	Indication in relation to 10-year average
	Infrastructure Planning website)	the West Midlands to supply HS2 development. Whilst Worcestershire is some distance from the line of the HS2 development, additional aggregate extraction in Worcestershire is likely to be needed in order help meet the demands placed upon aggregate supply chains in the West Midlands.	
Demand indicator 5	3-year aggregate sales average	The three-year sales average is exactly the same as the 10 year average. However, this is due to having no sites and no production, and should not be misconstrued as a lack of demand. It does not provide any indication of the scale of or trend in demand.	No change indicated by this data.

Table 14. Supply indicators for crushed rock

	Supply indicator	Summary	Indication in relation to 10-year

	Supply indicator	Summary	Indication in relation to 10-year average
		gravel) from one site in Worcestershire to	

	Supply indicator	Summary	
		The County of Hereford and Worcester Minerals	
Supply indicator 5	Local plan allocations		

	Supply indicator	Summary	Indication in relation to 10-year average
		to produce material suitable for processing into secondary aggregates, and a facility with planning permission to process this material. Incinerator Bottom Ash Aggregate from this facility is currently used under the Environment Agency Regulatory Position Statement RPS 247. The process of obtaining End of Waste Criteria to use the recovered IBAA in block manufacture has also commenced. Inert waste is managed at a number of facilities in Worcestershire, but it is not possible to assess the proportion which was subsequently sold or used as recycled aggregate. Secondary and recycled materials account for 28% of the total market nationally. There is no evidence to indicate whether Worcestershire is likely to produce any more or any less than the national average, but it is likely that arisings of recycled and secondary materials will rise and fall with	

	Supply indicator	Summary	Indication in relation to 10-year average

Appendix 1: Consultation with Aggregate Working Parties

A draft of this Local Aggregates Assessment was sent to the West Midlands, East Midlands, South West and South Wales Aggregate Working Parties for consultation in November 2022.

Please note, further information about sales and reserves relating to one site were submitted after the start of the consultation and therefore numbers have been adjusted based on the latest information. See footnote 16 for more information.

The following comments were received from the AWPs and their members:

Minerals Products Association

MPA comment: We believe an honest attempt has been made to assess future aggregate needs and recognises the pressure on the WM area and therefore Worcs. We support the view that indicators show increasing demand and that the production guideline for primary sand and gravel should be increased significantly above the 10-year sales average.
WCC response: Noted.

MPA comment: We note the issues over crushed rock provision but accept that Worcs. has a flexible approach in the event a site come forward.
WCC response: Noted.

Staffordshire County Council

SCC comment: As included in your previous LAA, the sand and gravel production guideline is based on the 10 year sales average plus a 50% adjustment to respond to increased demand in areas beyond Worcestershire caused by the HS2 project. In relation to the recent mineral applications considered by your Authority, is their evidence for this particular need in those applications?
WCC response: Noted. Paragraphs 7.30 to 7.35 set out the evidence and rationale for assessing the demand from HS2. As much of this demand is likely to be on other authorities, Worcestershire is not expecting to explicitly see reference to HS2 in applications, however may play a role in ensuring sufficient supply is maintained across the region through supplying demand in areas whose resources are under acute demand due to HS2.

MPA comment: I agree

provided to the WMAWP in 2021 that the greatest period of demand for the phase 1 contract was up to 2024/5 but I accept that the period of demand is likely to be extended by phase 2a works. Would you anticipate that the current adjustment to the 10 year sales average would be limited to the period of all HS2 works through the region?

WCC response: Noted. Paragraphs 7.30 to 7.35 set out the evidence and rationale for assessing the demand from HS2. The adjustment to the 10 year sales average is on the basis of a number of indicators of demand, as well as consideration of ability to supply, and not solely on the basis of HS2, as set out in Chapter 9. We will therefore continue to assess the impact of HS2 and other demand factors to inform the production guideline set in future iterations of the Local Aggregate Assessment.

South West Aggregate Working Party

Gloucestershire County Council

GCC comment: GCC M&W Policy officers note that the draft LAA concludes that the future Worcestershire LAA rate for sand and gravel should be significantly higher than would be the case if it was based upon the orthodox 10-year average of local sand and gravel sales. It is understood that an uplift figure of 50% has been put forward. This may be wholly reasonable and justified, but for reasons of transparency it would be useful to know the evidential origin of this uplift. Observing the past 10 years of sales of sand and gravel from within Worcestershire, there is no recorded annual sales figure, which has reached the proposed new LAA rate. From a strategic minerals planning perspective, GCC M&W Policy officers do not consider that the proposed LAA rate to be inherently negative by way of adversely impacting on the steady and adequate supply of aggregate minerals related to Gloucestershire. It could well indeed reduce any pressure upon existing supplies from Gloucestershire into Worcestershire. GCC M&W Policy officers broadly welcome the concept of local aggregate supply self-sufficiency as it has the potential to reduce the carbon footprint of the aggregate industry and minimise the risks of adverse impacts associated with transport of minerals from one part of the country to another

WCC response: Noted. The adjustment to the 10 year sales average is on the basis of a number of indicators of demand, as well as consideration of ability to supply, as set out in Chapter 9.

Appendix 2:

No.	Indicator	Type of information	Demand or supply indicator
9	Progressive exhaustion of permitted reserves over Plan period and permitted lifespans of productive sites.	a) Compare sales against data on the number of operational sites and new permitted reserves (assess replenishment rates). b) Record the number of sites that have ceased production of aggregates and comment on reasons for cessation if c) Record cessation production as possible.	

No.	Indicator	Type of information	Demand or supply

Appendix 3: Calculation of aggregate demand for housing development

A typical new house uses between 60-200 tonnes of aggregate, or up to 400 tonnes of aggregate when supporting infrastructure, such as access roads, is taken into account.[51,52] This does not distinguish between use of sand and gravel and crushed rock, and does not include any indication of the likely level of demand for material used in maintaining or refurbishing existing housing stock, but does enable calculations to be made of the likely scale of demand for aggregate for new housing development.

Table B uses these estimates to calculate the scale of demand new housing development may account for, and presents this in comparison to both the 10-year sales average of aggregate (sand and gravel) produced in Worcestershire and the 2019 total consumption of aggregates in Worcestershire.

Table B. Calculation of aggregate demand for housing development

Housing development